

READ AND LANIADO, LLP

ATTORNEYS AT LAW
25 EAGLE STREET
ALBANY, NEW YORK 12207-1901

(518) 465-9313 MAIN
(518) 465-9315 FAX
www.readlaniado.com

KEVIN R. BROCKS
DAVID B. JOHNSON
SAM M. LANIADO

KONSTANTIN PODOLNY

HOWARD J. READ
PATRICK A. SILER
Of Counsel

Via Electronic Delivery or Overnight Mail

October 15, 2014

Hon. Kathleen H. Burgess
Secretary
New York State Public Service Commission
Empire State Plaza
Agency Building 3
Albany, New York 12223-1350

Re: CASE 13-T-0538 - Application of Williams Field Services Company, LLC and DMP New York, Inc. For a Certificate of Environmental Compatibility and Public Need to Construct an Approximately 9.5-Mile Natural Gas Gathering Pipeline in the Town of Windsor, Broome County, State of New York.

Dear Secretary Burgess:

Williams Field Services Company, LLC and DMP New York, Inc. (collectively, "Williams"), is providing the New York ("NY") State Public Service Commission (the "Commission") with recent correspondence with the NY State Historic Preservation Office ("NYSHPO") and the NY State Department of Environmental Conservation ("NYSDEC") in connection with the captioned matter.

Williams received a letter from the NYSHPO on June 5, 2014 indicating that proposed areas of the NY Mainline Loop Natural Gas Pipeline Project ("Project") were located outside of the previously identified and reviewed Areas of Potential Effect. NYSHPO requested that a Phase I Archaeological Survey be conducted in these areas unless substantial prior disturbance could be documented. Williams conducted the Phase I Archaeological Survey and submitted the results to the NYSHPO on July 29, 2014. The NYSHPO responded in a letter dated August 26,

2014 (provided herein) recommending that proposed Project activities will have no effect on historic properties listed or eligible for listing on the National Register of Historic Places.

Per Exhibit B, proposed Condition 15, of the Williams Article VII Application, also provided herein is the authorization received from the NYSDEC for State Pollutant Discharge Elimination System Permit ID NYR10T460 on September 30, 2014. The Notice of Intent (“NOI”), erosion and sediment control drawings, post-construction stormwater management drawings, and Stormwater Pollution Prevention Plan (“SWPPP”) approved for the Project are also provided. If a hard copy of these documents is requested, please make a written request to the undersigned.

All correspondence or questions concerning the Application (Case 13-T-0538) should be addressed to the undersigned. Thank you.

Respectfully submitted,

READ AND LANIADO, LLP
Attorneys for Williams Field Services Company, LLC
and DMP New York, Inc.

By: _____/s/_____
Sam M. Laniado

cc: Attached Service Lists

- Mr. John Strub, New York State Public Service Commission
- Mr. Corey Strub, New York State Public Service Commission
- Mr. Steven Blow, Esq., Office of General Counsel
- Mr. Scott Cook, New York State Department of Environmental Conservation