

I RECOMMEND THIS QUOTE - MIKE KITHCART
8.F.1

From: kcook@cookcompanies.net
Sent: Tuesday, January 10, 2023 10:18 AM
To: windsorgarage@echoes.net
Subject: HOSE CRIMPER SET UP

ATTCHED IS THE HOSE CRIMPER SET UP QUOTE.



QUOTE INCLUDES: CABINETS, CRIMPER & DIES, SET UP
AND TRAINING, ALSO START UP FITTINGS, AND HOSE.

All the best,

QUOTE

Cook Brothers - Binghamton
TRIPLE CITIES ACQUISITION, LLC
 15 Walker Ave
 BINGHAMTON, NY 13901
 United States of America
 Phone: 607-723-7481

[81136
 TOWN OF WINDSOR
 P. O. BOX 369
 HIGHWAY DEPT
 WINDSOR, NY 13865
 United States of America

S
 TOWN OF WINDSOR
 P. O. BOX 369
 HIGHWAY DEPT
 WINDSOR, NY 13865
 United States of America

PAGE	1
QUOTE #	2838749
DATE	1/10/23

CUSTOMER PURCHASE ORDER NO.

SHIP VIA

TERMS

SLMN

Run 1

Net 30

850

SPECIAL INSTRUCTIONS >

ITEM NO.	DESCRIPTION	QTY. ORDERED	U/M	PRICE	AMOUNT
WH H28004-250R	SAE 100R16S 2-WIRE HYDRAULIC	50.00	EA	4.6800	234.00
WH H28006-250R	SAE 100R16S 2-WIRE HYDRAULIC	250.00	EA	5.4500	1362.50
WH H28008-250R	SAE 100R16S 2-WIRE HYDRAULIC	250.00	EA	6.1800	1545.00
WH H28012-250R	SAE 100R16S 2-WIRE HYDRAULIC	50.00	EA	9.8200	491.00
WH H28016-250R	SAE 100R16S 2-WIRE HYDRAULIC	50.00	EA	12.9200	646.00
WH 04Z-102	04Z - 2 MP	2.00	EA	5.3300	10.66
WH 04Z-104	04Z - 4 MP	4.00	EA	5.9200	23.68
WH 04Z-106	04Z - 6 MP	2.00	EA	7.1300	14.26
WH 04Z-204	04Z - 4 FP	1.00	EA	11.4800	11.48
WH 04Z-504	04Z - 4 M-JIC	4.00	EA	7.9900	31.96
WH 04Z-506	04Z - 6 M-JIC	1.00	EA	8.0700	8.07
WH 04Z-604	04Z - 4 F-JIC	4.00	EA	7.0200	28.08
WH 04Z-664	04Z - 4 F-JIC 90	2.00	EA	16.4700	32.94
WH 04Z-A24	04Z - 4 F-ORFS 90S	1.00	EA	19.1300	19.13
WH 04Z-A26	04Z - 6 F-ORFS 90S	1.00	EA	20.6000	20.60
WH 04Z-E64	04Z - 4 M-ORFS REQUIRES 0-RING = 4629X4	1.00	EA	12.5700	12.57
WH 04Z-J04	04Z - 4 MPX	2.00	EA	12.7200	25.44
WH 04Z-P04	04Z - 4 M-ORB REPLACEMENT 0-RING = 7629X4	1.00	EA	11.4900	11.49
WH 04Z-S64	04Z - 4 F-ORFS	2.00	EA	12.2200	24.44
WH 04Z-S66	04Z - 6 F-ORFS	1.00	EA	13.2100	13.21
SUBTOTAL					TOTAL
TOTAL DISCOUNTS					
SHIPPING & HANDLING					
FREIGHT					
MISCELLANEOUS					
TAX					

QUOTE

Cook Brothers - Binghamton
TRIPLE CITIES ACQUISITION, LLC
 15 Walter Ave
 BINGHAMTON, NY 13901
 United States of America
 Phone: 607-723-7481

[81136
 TOWN OF WINDSOR
 P. O. BOX 369
 HIGHWAY DEPT
 WINDSOR, NY 13865
 United States of America

TOWN OF WINDSOR
 P. O. BOX 369
 HIGHWAY DEPT
 WINDSOR, NY 13865
 United States of America

PAGE	3
QUOTE #	2838749
DATE	1/10/23

CUSTOMER PURCHASE ORDER NO.

SHIP VIA

TERMS

SLMN

Run 1

Net 30

850

SPECIAL INSTRUCTIONS >

ITEM NO.	DESCRIPTION	QTY ORDERED	U/M	PRICE	AMOUNT
WH 062-R06	062 - 6 M-ORBX REPLACEMENT O-RING = 7629X6	1.00	EA	12.9600	12.96
WH 062-R68	062 - 8 M-ORBX 90 REPLACEMENT O-RING = 7629X8	1.00	EA	26.1500	26.15
WH 062-S66	062 - 6 F-ORFS 11/16"-16	4.00	EA	14.1900	56.76
WH 062-S68	062 - 8 F-ORFS 13/16"-16	2.00	EA	14.6700	29.34
WH 082-058	082 - 8 F-MPSM 1/2"-14	4.00	EA	16.1300	64.52
WH 082-106	082 - 6 MP 3/8"-18	2.00	EA	8.2600	16.52
WH 082-108	082 - 8 MP 1/2"-14	6.00	EA	8.5300	51.18
WH 082-508	082 - 8 W-JIC 3/4"-16	4.00	EA	9.7000	38.80
WH 082-606	082 - 6 F-JIC 9/16"-18	1.00	EA	11.9200	11.92
WH 082-608	082 - 8 F-JIC 3/4"-16	6.00	EA	10.3700	62.22
WH 082-610	082 - 10 F-JIC 7/8"-14	2.00	EA	10.5500	21.10
WH 082-648	082 - 8 F-JIC 90L 3/4"-16	2.00	EA	34.0900	68.18
WH 082-668	082 - 8 F-JIC 90 3/4"-16	4.00	EA	21.9400	87.76
WH 082-A28	082 - 8 F-ORFS 90S 13/16"-16	4.00	EA	25.4700	101.88
WH 082-A30	082 - 10 F-ORFS 90S 1"-14	2.00	EA	32.2000	64.40
WH 082-E68	082 - 8 M-ORFS 13/16"-16 REQUIRES O-RING = 4629X8	2.00	EA	14.7800	29.56
WH 082-E70	082 - 10 M-ORFS 1"-14 REQUIRES O-RING = 4629X10	1.00	EA	12.3700	12.37
WH 082-J08	082 - 8 MPX 1/2"-14	4.00	EA	14.1400	56.56
SUBTOTAL					TOTAL
TOTAL DISCOUNTS					
SHIPPING & HANDLING					
FREIGHT					
MISCELLANEOUS					
TAX					

Cook Brothers - Binghamton
 TRIPLE CITIES ACQUISITION, LLC
 15 Walter Ave
 BINGHAMTON, NY 13901
 United States of America
 Phone: 607-723-7481

QUOTE

PAGE	4
QUOTE #	2838749
DATE	1/10/23

[81136
 TOWN OF WINDSOR
 P. O. BOX 369
 HIGHWAY DEPT
 WINDSOR, NY 13865
 United States of America

S
 TOWN OF WINDSOR
 P. O. BOX 369
 HIGHWAY DEPT
 WINDSOR, NY 13865
 United States of America

CUSTOMER PURCHASE ORDER NO. SHIP VIA TERMS SL/MN

Run 1 Net 30 850

SPECIAL INSTRUCTIONS >

ITEM NO.	DESCRIPTION	QTY. ORDERED	U/M	PRICE	AMOUNT
WH 082-L68	082 - 8 F-ORFS 45	2.00	EA	22.5100	45.02
WH 082-M08	082 - 8 MPX 90	2.00	EA	18.1200	36.24
WH 082-P08	082 - 8 M-ORB	2.00	EA	11.9500	23.90
	REPLACEMENT O-RING = 7629X8				
WH 082-P10	082 - 10 M-ORB	2.00	EA	14.1500	28.30
	REPLACEMENT O-RING = 7629X10				
WH 082-S68	082 - 8 F-ORFS	4.00	EA	15.5300	62.12
WH 082-S70	082 - 10 F-ORFS	4.00	EA	24.4600	97.84
WH 122-062	122 - 12 F-NPSM	1.00	EA	29.9100	29.91
WH 122-108	122 - 8 MP	1.00	EA	17.8500	17.85
WH 122-112	122 - 12 MP	4.00	EA	14.3700	57.48
WH 122-116	122 - 16 MP	1.00	EA	19.9700	19.97
WH 122-512	122 - 12 M-JIC	4.00	EA	13.6900	54.76
WH 122-612	122 - 12 F-JIC	6.00	EA	17.0300	102.18
WH 122-672	122 - 12 F-JIC 90	6.00	EA	36.6200	219.72
WH 122-P12	122 - 12 M-ORB	2.00	EA	21.4400	42.88
	REPLACEMENT O-RING = 7629X12				
WH 122-S72	122 - 12 F-ORFS	4.00	EA	30.2000	120.80
WH 122-S76	122 - 16 F-ORFS	2.00	EA	33.1000	66.20
WH 122-J12	122 - 12 MPX	2.00	EA	23.1100	46.22
WH 162-112	162 - 12 MP	2.00	EA	20.5000	41.00
WH 162-116	162 - 16 MP	6.00	EA	20.4500	122.70

SUBTOTAL	TOTAL DISCOUNTS	SHIPPING & HANDLING	FREIGHT	MISCELLANEOUS	TAX	TOTAL



Sales Quotation

Bill To	TOWN OF WINDSOR PER OMNIA PARTNERS #R192005 PO BOX 369 WINDSOR NY 13865-0369
---------	---

Sales Quote No.	21766132
Document Date	12/28/2022
Quote Expiration Date	01/27/2023
Customer No.	10002748
PO No.	
Buyer	
Attention	
Currency	USD
Sales Rep	RONALD EVANS

Ship To	TOWN OF WINDSOR HWY DEPT 369 E CHAPEL ST WINDSOR NY 13865
---------	---

Line	Item No.	Description	Price	Per Unit	Price per Unit	Quantity	Amount	T
10	EP1000Z280	Starter Bundle ET1000 Elec H280 Z Series	\$5705.13	1 EA	\$5705.1300	1	\$5705.13	
		Sub-items 000020 to 000380 belong to this item						
20	16577	-4X-4 Male Npt Z-Series Ftg				5		
30	16580	-6X-6 Male Npt Z-Series Ftg				5		
40	16584	-8X-8 Male Npt Z-Series Ftg				5		
50	16608	-4X-4 Fem Jic Swvlz-Series Ftg				5		
60	16610	-4X-6 Fem Jic Sw Z-Series Ftg				5		
70	16613	-6X-6 Fem Jic Swvlz-Series Ftg				5		
80	16614	-6X-8 Fem Jic Sw Z-Series Ftg				5		
90	16615	-8X-8 Fem Jic Swvlz-Series Ftg				5		
100	16616	-8X-10 Fem Jic Sw Z-Series Ftg				5		
110	16667	1/4 x 7/16 JIC 37 Male Z-Series Fitting				5		
120	16670	3/8 x 9/16 JIC 37 Male Z-Series Fitting				5		
130	16671	3/8 x 3/4 JIC 37 Male Z-Series Fitting				5		
140	16672	1/2 x 3/4 JIC 37 Male Z-Series Fitting				4		
150	16643	-4X-4 Fem Jicsw 90Z-Series Ftg				5		
160	16645	-4X-6 Fem Jicsw 90Z-Series Ftg				5		
170	16646	-6X-6 Fem Jicsw 90Z-Series Ftg				5		
180	16649	-8X-8 Fem Jicsw 90Z-Series Ftg				5		
190	16631	-4X-4 Fem Jicsw 45Z-Series Ftg				5		
200	16634	-6X-6 Fem Jicsw 45Z-Series Ftg				5		
210	16636	-8X-8 Fem Jicsw 45Z-Series Ftg				5		
220	16706	-6X-6 Fm Ffor Swvlz-Series Ftg				5		
230	16709	-8X-8 Fm Ffor Swvlz-Series Ftg				5		



Sales Quotation

Line	Item No.	Description	Price	Per Unit	Price per Unit	Quantity	Amount	T
240	16703	-4X-4 Fm Ffor Swvlz-Series Ftg				5		
250	16726	-6X-6 Fm Fforswv45Z-Series Ftg				5		
260	16742	-6X-6 Fm Fforswv90Z-Series Ftg				5		
270	16745	-8X-8 Fm Fforswv90Z-Series Ftg				5		
280	50799 04	1/4 (-4) Ws H280 Hyd Hose				50		
290	50799 06	3/8 (-6) Ws H280 Hyd Hose				50		
300	50799 08	1/2 (-8) Ws H280 Hyd Hose				50		
310	16255	Crimp+Ep Collet Whead Tool				1		
320	16260	Adapter Collet Whead Tool				1		
330	16962	Extension Wh Spacers Hyd Tooling				1		
340	1555781	8Z Braided Collet - T400/ET1000				1		
350	1555831	4Z Braided Collet - T400/ET1000				1		
360	1555840	6Z Braided Collet - T400/ET1000				1		
370	A1C11	3 Compartmnthose Cabinet				1		
380	A40	Cabinet				1		
END								
390	ET1000MOD (-12) H280 and Z ET1000 Module 2		\$1357.36	1 EA	\$1357.3600	1	\$1357.36	
Sub-items 000400 to 000510 belong to this item								
400	16589	-12X-12 Male Npt Z-Series Ftg				4		
410	16623	-12X-12 Fem Jic Sw Z-Series Ftg				4		
420	16640	-12X-12 Fem Jicsw 45Z-Series Ftg				4		
430	16653	-12X-12 Fem Jicsw 90Z-Series Ftg				4		
440	16678	3/4 x 1-1/16 JIC 37 Male Z-Series Ftg				4		
450	16716	-12X-12 Fm Ffor Swvlz-Series Ftg				4		
460	16734	-12X-12 Fm Fforswv45Z-Series Ftg				4		
470	16751	-12X-12 Fm Fforswv90Z-Series Ftg				4		
480	1555780	12Z Braided Collet - ET1000				1		
490	50799 12	3/4 (-12) Ws H280 Hyd Hose				50		
500	A1N07	18 Hole Bin				1		
510	A1C02	Side Hydr Hose Cabinet				1		
END								
520	ET1000MOD (-16) H280 and Z ET1000 Module 3		\$1738.58	1 EA	\$1738.5800	1	\$1738.58	
Sub-items 000530 to 000640 belong to this item								
530	16592	-16X-16 Male Npt Z-Series Ftg				4		
540	16627	-16X-16 Fem Jic Sw Z-Series Ftg				4		



Sales Quotation

Line	Item No.	Description	Price	Per Unit	Price per Unit	Quantity	Amount	T
550	16641	-16X-16 Fem Jicsw 45Z-Series Ftg				4		
560	16655	-16X-16 Fem Jicsw 90Z-Series Ftg				4		
570	16681	1 x 1-5/16 JIC 37 Male Z-Series Fitting				4		
580	16719	-16X-16 Fm Ffor Swlz-Series Ftg				4		
590	16736	-16X-16 Fm Fforswv45Z-Series Ftg				4		
600	16753	-16X-16 Fm Fforswv90Z-Series Ftg				4		
610	1555812	16Z Braided Collet - ET1000				1		
620	50799 16	1 (-16) Ws H280 Hyd Hose				50		
630	A1N07	18 Hole Bin				1		
640	A1C02	Side Hydr Hose Cabinet				1		
END								

Total Before Tax	\$8,801.07
Estimated Shipping & Handling	\$0.00
Estimated Tax	\$0.00
Estimated Total	\$8,801.07

S&H: Std Frt : \$0.00, Expedite : \$0.00, COD : \$0.00, SigReq : \$0.00, HAZMAT : \$0.00, Lift Gate : \$0.00

RE: Parkrimp pricing

STAYER HYDRAULICS

Subject: RE: Parkrimp pricing
From: <gschaefer@stayerhydraulics.com>
Date: 12/12/2022, 11:51 AM
To: "'Town Of Windsor Highway"' <windsorhwy@echoes.net>
CC: <support@stayerhydraulics.com>, <fmundrick@stayerhydraulics.com>

The used Superkrimp that you saw in our shop is \$8500. This will include the metal stand. You will also need the crimp dies (KK2-KDA) that are listed below. We will test this machine and make sure that it is operating properly. A new Superkrimp is double this price.

From: gschaefer@stayerhydraulics.com <gschaefer@stayerhydraulics.com>
Sent: Thursday, December 1, 2022 9:27 AM
To: 'Town Of Windsor Highway' <windsorhwy@echoes.net>
Cc: 'support@stayerhydraulics.com' <support@stayerhydraulics.com>; 'fmundrick@stayerhydraulics.com' <fmundrick@stayerhydraulics.com>
Subject: Parkrimp pricing

Last week I stopped out and visited with Mike. Based on this I think that the best hose crimper for you is the Karrykrimp 2 Bench Mount. This is a great unit that has the capacity for your needs. It is wired for 115v/20a but can also use 208-230. This will crimp the 782TC-16 5000 psi hose on the Gradall XL3100V.

X Karrykrimp 2 Bench Mount 85C-KKB \$10,685.60

Die Kit will also be needed that includes lower pressure dies thru 1 1/4" and high pressure thru 1":

X KK2-KDA \$1703.76

TOTAL \$12389.36

~~The Economy Hose Cleaning Kit is a very important tool to use, especially when a chop saw is used to cut hydraulic hose.~~

~~TH6-10-EL-8 \$1049.51~~

~~SensoControl Service Junior is a great digital pressure gauge. The Gradall has the EMA style connections on it already to easily connect this gauge. It simply captures the min and max pressures plus gives a digital pressure readout. The part numbers have been changed to reflect global consistency.~~

~~SCJN-400-01 (SCJR-5800-EMA) \$571.88~~

~~I know that you are interested in the used unit, but I am unsure of the history of it. This used unit has not been tested.~~

~~The new unit will come with a great factory warranty.~~

~~Training will be included with any unit that you purchase.~~

~~Parker is raising prices Jan 15 so I want to act now so we can avoid it.~~


Regards

1914 1228.56

Karrykrimp 2

The Karrykrimp 2 is now available in a modular design with all the familiar Parkrimp System advantages.

The same unit now offers portability and bench mountability.



view on web page

Capability

- Up to 1-1/4" ID 2 wire braided hose
- Up to 1-1/4" ID 4 wire spiral hose
- Up to 1" ID 6 wire spiral hose

Features

- Now comes standard with KrimpNODE
See page C-6 for more information on KrimpNODE™
- Portable, compact rugged design
- Numerous portable power unit options available
- Pivoting pusher design for easy die change out
- For use with 25,26, 43, 70, 71, 77, 81 and HY Series fittings

Specifications

- Dimensions: 14" wide, 14" deep, 31-1/2" high
- Weight: 120 lbs (without power unit)
- Rating: 60 ton force @ 10,000 psi maximum
- Cycle Time: 15 seconds with 85C-0EP power unit (1/2" 43 series)
- Reference pages C-16 and C-17 for information on available power units

Standard Equipment


Part Number			Description	Individual Part Number
85C-CHD	85C-001L	85C-KKB		
●	●	●	Crimp Head	85C-CHD
		●	Bench Power Unit Assembly	*85C-ZMS
●	●	●	Silver Die Ring	85C-R01
●	●	●	Black Die Ring	85C-R02
	●		Hose Assembly	85C-00L
	●		Stand Assembly	85C-STD
		●	Hose Assembly	85C-03L

WARNING: This product can expose you to chemicals including Lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.p65warnings.ca.gov.

Note:

- For crimp instructions, see pages C-19 and C-20.
- Hose assemblies must be inspected for cleanliness and free of all foreign particles.
- Parker Hannifin will not accept responsibility for the operation of, or provide warranty coverage for, a crimper that is operated by a power unit other than equipment supplied by Parker Hannifin for the express purpose of operating the crimper.

Karrykrimp 2 Bench Mount



view on web page

Capability

- Up to 1-1/4" ID 2 wire braided hose
- Up to 1-1/4" ID 4 wire spiral hose
- Up to 1" ID 6 wire spiral hose

Features

- Faster cycle times on bench mounted units
- Pivoting pusher design for easy die change out
- Compact bench mount design
- For use with 25, 26, 43, 70, 71, 77, 81 and HY Series fittings

Specifications

- Dimensions: 19" wide, 24" deep, 28" high
- Weight: 265 lbs
- Rating: 60 ton force @ 10,000 psi maximum
- Crimp Cycle Time: 15 seconds (1/2" 43 series straight fitting)
- Full Stroke Cycle Time: 24 seconds
- Hydraulic Fluid: Enerpac Oil
- This unit is designed to make about 200 crimps per day and is not designed to be a production crimper. Exceeding these suggested production amounts will significantly reduce the life expectancy of the crimper components.

*Note: Power unit is factory wired to operate at 115 volt. A 20 amp dedicated circuit is required to operate at this voltage. Do not use extension cords to operate this machine.

The electric motor is dual voltage, 50/60 HZ, suitable for 208-230/115 volt. The motor and control circuit can be rewired by a qualified electrician to operate at alternate voltage. See motor name plate and wiring diagrams.

Optional Tooling

- Die Kit KK2-KDA (Includes 43 Series dies in sizes 1/4", 3/8", 1/2", 3/4", 1" and 1-1/4" and 77 Series dies in sizes 1/2", 5/8", 3/4" and 1" only.

Global

A single cohesive family of complimentary products so qualified has never before been offered globally.

With manufacturing locations in the major global regions, regardless of where your equipment was originally manufactured or is today, GlobalCore will support your hydraulic hose needs.

Simple

GlobalCore is a unified system that delivers hoses built on the ISO 18752 specifications, which was developed on how hoses are specified and used by customers – by pressure range and not by construction. Therefore, the selection process is simple. Select the GlobalCore hose based on maximum working pressure required for your application.

Selecting the fitting is even simpler. Choose the renowned 43 Series, with more than 2,500 configurations, or the 77 Series, designed specifically for higher pressure applications and available in more than 500 configurations.

Agency approvals

GlobalCore carries the most common international agency approvals as requested by our customers. ABS, DNV, Lloyd's, MSHA*, USCG are comprehensive approvals, while other certifications will be specific to designated hoses or sizes.



Visit parkerglobalcore.com for the latest list of hose and agency approvals.*

Visit www.parker.com/GlobalCore for more information.

*MSHA only approved for TC and ST cover options.

