

## **TOWN OF WINDSOR**

## CODE ENFORCEMENT OFFICER

124 Main Street Windsor, New York 13865 Telephone (607) 655-3118

Richard Osborne Code Enforcement Officer Town of Windsor

Report for Town Board Meeting for October 2025

Office has been active with 12 total permits during the month

- 1) 1 new gas furnace
- 2) 2 heat pump, split unit installation
- 3) 1 manufactured home
- 4) 2 sheds/garages
- 5) 1 single family home
- 6) 2 decks
- 7) 1 demolition
- 8) 1 solar array /roof mount
- 9) 1 repair and remodel single family residence

Starting yearly inspections for mobile home parks and campgrounds.

Issued property maintenance violation notices to;

91 Mountain Rd., garbage and debris, illegal occupation.

Occinuim Falls Mobile Park, abandoned structures,5 trailers.

290 Kent Street, garbage and debris, lawn maintenance

1282 Trim Street, garbage and debris, accumulation

of discarded tires.

164 Stannard Rd. accumulation of discarded tires.

Office over saw several property subdivisions:

- 18 Bennett Rd. split off 2+ acre parcel from 7.4 acre original
- 569 Trim Street split off 1.4 acre parcel from 5.67 acre original
- 139 Riley Rd. split off 2.52 acre parcel from 17.31 acre original. This split resulted in a flag lot, met with Zoning Board of Appeals on 10/9/2025 and approval was granted for a code compliant building lot.